Design Patterns

CS6.401 Software Engineering

Dr. Karthik Vaidhyanthan

karthik.vaidhyanathan@iiit.ac.in

https://karthikvaidhyanathan.com





Software Engineering Research Centre

Acknowledgements

The materials used in this presentation have been gathered/adapted/generated from various sources as well as based on my own experiences and knowledge -- Karthik Vaidhyanathan

Sources:

- **1. Design Patterns: Elements of Reusable Object-Oriented Software** by Erich Gamma, Richard Helm, Ralph Johnson and John Vlissides
- 2. Head first Design Patterns, Second Edition, Eric Freeman and Elisabeth Robson



Being an Observer! - The Observer Pattern [Behavioral]

Meet the Observer Pattern!



- Subscriber chooses the (channel) publisher by pressing on subscribe button
- The channel who is posting (Publisher) delivers only to its subscribers
- publisher has to maintain a list of subscribers (channel subscribers)



Meet the Observer Pattern: Motivation



Can we push the data to all clients as soon a s it arrives?



Meet the Observer Pattern

- What if we had the sensor data to be publishers?
- What if the clients just become subscribers?
- Every time data comes, all the subscribers are notified
- Publishers and subscribers can be decoupled
- Adding new clients also is just same as adding a new subscriber





Intent

Defining a one-to-many dependency between objects Change in object notifies all dependent objects

Also Known As: Dependents, Publish-subscribe

Motivation

- Maintaining consistency between objects
- Reduce tight coupling and increase reusability
- Two key objects: *Subject and Observer*

Example: Presentation components and application data





Applicability

- When abstraction has two aspects One dependent on the other and separation promotes reusability
 - Eg: Think of having just one class, Display instead of mobile and web
- When a change in one object requires changing others [Not clear how many!]
- When object should notify others without assuming about the objects [reduce coupling]





Structure





Image source: Gang of four book

Participants Subject (IoTInterface)

- Knows its observers Many observers per subject
- Provides interface for attaching and detaching observer objects

Observer (DataSubscribers)

• Defines an update interface for objects that should be notified

Concrete Subject (RfidPublisher)

- The key subject that contains the state information
- Sends a notification to its observers when state change happens

Concrete Observer (MobileSubscriber)

- Maintains reference to concrete subject object
- Implements observer update interface





Consequences

- Abstract coupling between Subject and Observer
 - Subject doesn't know the concrete class of any observer
 - The coupling is as minimal as possible
- Support for broadcast communication
 - Subject doesn't care about number of observers
 - The notifications are automatically sent as broadcast to all interested
- Unexpected updates
 - Unintended updates on subject may cause cascade of updates on observers
 - Often simple update notification may not provide enough changes on state changes of subject



Implementation

Check the source code given along: IoTObserver





Thank You



Course website: <u>karthikv1392.github.io/cs6401_se</u>

Email: <u>karthik.vaidhyanathan@iiit.ac.in</u> Web: <u>https://karthikvaidhyanathan.com</u> Twitter: @karthi_ishere





HYDERABAD